

Workbook

July 2019





Table of Contents

■ Introduction.....	4
proAction® Overview	4
Workbook.....	4
Reference Manual	4
Requirements	4
Records.....	5
Implementing proAction	6
Farmer Commitment	6
■ Farmer Self-Evaluation Questionnaire	6
Dairy Facilities and Pesticides.....	6
Feed and Water	8
Traceability	9
Biosecurity and Cattle Health	10
Medicines and Chemicals Used on Livestock	12
Milking Management	13
Cooling and Storage of Milk.....	13
Facility and Equipment Sanitation.....	14
Handling and Shipping Animals	15
Environment	15
Staff Training & Communication	16

■	Mandatory Records	17
■	SOP 1: Standard Operating Procedure (SOP) for Pre-Milking	19
■	SOP 2: Milking.....	19
	SOP 3: Milking Cattle with Abnormal or Treated Milk	19
	SOP 4: Post-Milking Cleaning.....	19
	SOP 5: Treating Cattle.....	19
	SOP 6: Shipping Cattle	19
	SOP 7: Feeding Medicated Feed	19
	SOP 8: Colostrum Management and Calf Feeding.....	19
	SOP 9: Animal Health Practices and Branding	20
	SOP 10: Down Cattle Management.....	20
	SOP 11: Euthanasia	20
	SOP 12: Vaccinating Cattle Against Specific Diseases of Concern.....	20
	SOP 13: Introduction of New Cattle to the Herd	20
	SOP 14: Returning Cattle To The Herd	20
	SOP 15: Visitors and Service Personnel.....	20
■	Record 1: Animal Birth Record Tag Activation (LT3)	21
	Record 2: Animal Move-In Record (Move-In Import) (LT5)	22
	Record 3: On-Farm Animal Disposal Record Tag Retirement (LT7)	23
	Record 4: Animal Export Record Tag Retirement (LT7)	24
	Record 5: Tag Replacement/Tag Lost Cross Reference Log (LT2)	25
	Record 6: Cattle Health Declaration (FS14).....	26
	Record 6b: Dairy Farm Biosecurity General Risk Assessment Questionnaire (BIO1).....	27
	Dairy Farm Biosecurity Incremental Management Plan.....	32
	Record 7: Cattle Assessment Summary Sheet (AC14).....	33
	Cattle Assessment Record – Free-Stall	34
	Cattle Assessment Record – Tie-Stall	35
	Record 8: Veterinary Directions For Extra-Label Drug Use (FS17)	36
	Record 9: List of Medicines & Chemicals Used on Livestock (FS15)	37
	Record 10: Livestock Treatment Record (FS20).....	38
	Record 11: Broken Needles (FS18).....	39
	Record 11b: Sample Letter Of Guarantee / Shipping Record (FS27)	40
	Record 12: Bulk Tank Temperature Log (FS28)	41
	Record 13: Milking Equipment Sanitation Record (FS30)	42
	Record 14: Cleaning And Sanitizing Chart (FS29)	43
	Record 14B: Sample Annual Wash System Evaluation (FS32).....	44
	Record 15: Water Record (FS39).....	45
	Record 16: Corrective Action Plans (FS42).....	46
	Record 16: Corrective Action Plans (FS42)	47
	Record 16: Corrective Action Plans (FS42)	48
	Record 17: Deviation And Corrective Action Record (FS43).....	49
	Record 18: Tail Docking Log (AC15)	50

Introduction

proAction® Overview

Canada's dairy farmers are recognized as world leaders in producing quality milk and meat. Both processors and customers believe this to be true and have confidence in the food we produce. The key to our ongoing and future success, however, is to maintain both processor and customer confidence in the quality and sustainability of the Canadian milk and meat that go into the food they enjoy.

ProAction is Dairy Farmers of Canada's (DFC) an on-farm quality assurance program that groups six key programs under one umbrella:

- 1 Milk Quality
- 2 Food Safety (Canadian Quality Milk)
- 3 Animal Care
- 4 Livestock Traceability
- 5 Biosecurity
- 6 Environment

DFC utilizes the national framework that was developed for the Canadian Quality Milk (CQM) program for proAction, which will allow Canada's dairy industry to continue its business leadership in producing quality milk and meat by integrating on-farm customer assurance programs on farmers' terms and realistic timelines.

In May 2015, DFC was pleased to receive a Letter of Recognition from the Canadian Food Inspection Agency, which officially stated that the Food Safety program (CQM program) successfully completed the recognition process under the Food Safety Recognition Program. Since this time, the program has been revised to become proAction by including additional elements pertaining to animal care, traceability, biosecurity and environment. However, please note that at the time of publication of this document, the recognition only applies to the Food Safety component of proAction.

Workbook

The Workbook is designed to outline the minimum mandatory tasks that you must do to satisfy the program's requirements. This Workbook contains a Farmer Self-Evaluation Questionnaire, which is designed to allow you to assess your current practices, and determine which requirements you need to implement or improve.

The Workbook also contains the minimum mandatory records, standard operating procedures and corrective action plans that you are required to develop and maintain for the program. **You may use the samples provided or your own versions**, provided all the same key points are recorded.

Reference Manual

The Reference Manual contains detailed information on each requirement. See the Reference Manual for a full explanation on how to meet each requirement. The Reference Manual also contains troubleshooting guides. The manual is designed to be a useful tool for you as you develop your farm plans and train your staff.

Requirements

The Farmer Self-Evaluation Questionnaire outlines a number of requirements that must be met for proAction. To be registered, the farm or farmer must meet the following criteria, all of which can be found in detail in the Reference Manual:

- For all components:
 - Implement the mandatory requirements;
 - Maintain the record keeping requirements identified in this Workbook.
- For Food Safety specifically:
 - Be licensed to ship milk by the provincial regulatory authority;
 - Meet the minimum standards set out in the Dairy Regulations of your province, as well as any pertinent Federal regulations (e.g. feed regulations) related to milk and meat safety;
 - Monitor the Critical Control Points (CCPs) through the use of permanent records;
 - Implement the mandatory Best Management Practices (BMPs).
- For Traceability specifically:
 - The standards set out by the proposed amendment to Part XV (Animal identification) of the *Health of Animals Regulations*—Government of Canada;
 - Report the requirements identified in this Workbook to the national traceability database.

Requirements are evaluated by a validator as:

- Compliant: meeting the intent of the requirement.
- Noncompliant: not meeting the intent of the requirement, and scored as either:
 - Major or minor non-compliance.
 - a **Major non-compliance** is a clear violation of the requirements. For example, in the Food Safety program, a Major non-compliance may have immediate food safety consequences.
 - A **Minor non-compliance** is a deficiency that requires corrective action, but may not have immediate consequences. For example, in the Food Safety program, a minor non-compliance does not have immediate food safety consequences.
- Demerits – from 0 to 5 demerits for each demerit requirement. Zero demerits means that you comply with the requirement, while 1 to 5 demerits reflect the severity of noncompliance.

You must correct all major or minor problems within a specified time frame identified by the validator; however, you can be registered with some demerits. The demerits allow farmers to have some flexibility and promote continuous improvement. The Workbook questions that are scored on a demerits system are identified in the Farmer Self-Evaluation Questionnaire.

Shaded areas within both the Workbook and the Reference Manual are mandatory.

Unshaded areas within both the Workbook and the Reference Manual are recommended.

Review the recommendations and select those that are applicable to your operation.

Records

Farmers must monitor and control the proAction requirements through records, reporting, and BMPs. Farmers who are new to the program must have a complete set of three months of records and reporting before a validation or before applying for registration. Once registered, farmers **must keep records for a minimum of one (1) rolling year, with the exception of the Traceability records (Records 1 to 5) which must be kept for a minimum of five (5) rolling years.** Records will be kept in the national traceability database for more than five (5) years. On-farm records must be complete and must also be easily accessible to staff at all times, including electronic records.

Routine Records and Reports

The routine records are permanent, written records where data is collected for easy recall and evaluation.

Reports are permanent, information that is collected and recorded into a national traceability database (Canadian Livestock Tracking System (CLTS) or Agri-Traçabilité Québec (ATQ)). The Livestock Traceability module requires farmers to report the following:

- Animal birth
- Animal move-in (including import)
- Tag retirement (animal on-farm disposal and export)
- Tag replacement and/or tag losses (cross-reference)

Standard Operating Procedures

Standard Operating Procedures (SOPs) are documented step-by-step instructions describing how you want a particular task done. Examples of acceptable SOP methods are: written, pictorial, videoed or electronic files. Note, SOPs in electronic format should be backed-up. Establishing SOPs helps everyone on your farm apply procedures in a consistent manner, as well as clearly understand your expectations. Furthermore, if something goes wrong, the SOP can be re-evaluated to determine if it can be improved to prevent the problem from re-occurring.

Corrective Action Plans

Corrective Action Plans outline the steps family and staff should take to correct a problem if a problem occurs. For proAction, farmers are required to write Corrective Action Plans for some specific scenarios. The Corrective Action Plan should contain detailed instructions applicable to your operation.

Deviations and Corrective Actions

If a problem or deviation occurs at a CCP or some BMPs in the Food Safety program, farmers are required to implement corrective actions to correct the problem and try to prevent the same problem from re-occurring. The program also requires that each deviation and chosen corrective action be documented. Many of the sample records in the Workbook have a place for deviations and corrective actions to be recorded and a separate sheet is provided as well.

Verification

You must have your plans and records for the CCPs checked or verified to ensure that they have been put into place and are being followed on the farm. Validators do verification for the Food Safety program.

Implementing proAction

To implement proAction, you have to meet the mandatory requirements and keep the required records. All records, SOPs and corrective action plans must be accessible to everyone working on the farm. Moreover, you must train your employees to ensure that they understand the program requirements and that they implement them in a consistent way.

Once you have implemented the program, an on-farm validator will assess your farm by conducting a validation (i.e. an audit) of the requirements. You are responsible for demonstrating conformance to the program requirements and to making your records available to the validator. The validator then will make a recommendation to the provincial organization as to whether or not your farm adequately meets the program's requirements. You may be required to implement corrective actions before you can be registered. Once you are registered, you will undergo regular validations to ensure you are continuing to meet the program's requirements.

Your records and reports must be maintained on a continuous basis. At least one person on the farm must be responsible for ensuring that proAction is properly maintained and updated if needed.

Farmer Commitment

As part of proAction, you, or your authorized proAction farm contact, will be required to sign a declaration stating

your commitment to produce safe milk and meat and to continue to maintain the proAction requirements. The declaration will ask you to declare that you understand the information listed in it and declare that you follow it. The declaration will contain information similar to:

- **ALL** of the mandatory requirements defined in the proAction Reference Manual have been addressed.
- For an initial validation, a minimum of 3 months of records are available.
- Registration may be withdrawn for cause by DFC or the Provincial Delivery Agent.
- The authorized farm contact may voluntarily terminate Registration without cause.
- The Farm's Registration status will not be made publicly available by DFC without authorization from the farm.
- The proAction Reference Manual will be revised and re-issued regularly.
- Registration carries the responsibility for the authorized farm contact to:
 - 1 Maintain the on-farm food program compliant with the proAction Reference Manual.
 - 2 Accept regular validations and submit self-declarations and respond to the findings.
 - 3 Inform the Provincial Delivery Agent of ownership or management changes on the farm.
 - 4 Respect the restrictions related to the use and control of the proAction certificate.

Farmer Self-Evaluation Questionnaire

Dairy Facilities and Pesticides

Farmer Requirements Reference Manual, Chapter 1		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
Regulatory Requirements						
FS1	Licensed dairy farm: Is your farm currently licensed to ship milk by the provincial regulatory authority?				✓	
Pesticides and Chemicals						
FS2	Do you only use pesticides registered for use in the: <ul style="list-style-type: none">• Milk house?• Barn?• Fields?					✓
FS3	Do you use registered pesticides according to the label and follow pre-harvest intervals to harvest or grazing?					✓



		Yes	No	N/A	Validation Info	
Do you store pesticides, treated seed and fertilizer in a safe and secure manner and according to provincial dairy regulations? (<i>concerned with both cow & milk exposure</i>)						
Is any hose connected to the milk house or barn water system used for filling pesticide sprayers or containers? <input type="checkbox"/> Yes <input type="checkbox"/> No						✓
If yes, do you have an anti-backflow device?						
Cattle Facilities						
Do you ensure that housing for unweaned calves: a. Allows calves to easily stand up, lie down, turn around (180°) and adopt normal resting postures? b. Provides bedding? c. Permits calves to have visual contact with other cattle? d. If group housing, provides a bedded area large enough to allow all calves to rest comfortably at the same time?						✓
Do you ensure that housing for weaned heifers: a. Allows heifers to easily stand up, lie down, and adopt normal resting postures? b. Provides bedding? c. Permits heifers to have visual contact with other cattle? d. If group housing, provides a bedded area large enough to allow all heifers to rest comfortably at the same time?						✓
Do you ensure that bull housing (if applicable to your farm): a. Permits bulls to easily stand up, lie down, adopt normal resting postures, and mount safely? b. Provides bedding?						✓
Do you ensure that dry cattle housing: a. Allows cattle to easily stand up, lie down, and adopt normal resting postures? b. Provides bedding?						✓
Do you ensure that dry cattle and lactating cattle housing provides adequate stocking densities? (Free-stall: does not exceed 1.2 mature cows per usable stall. Bedded-pack pens: provide 11 m ² (120 ft ²) per mature Holstein cow.)						✓
Do your animal husbandry, manure and waste management systems ensure the cleanliness of lactating cattle's udders, legs and flanks?						✓
AC5	Do you ensure that the calving area (prior to and after delivery of calf) is kept clean and dry?					✓

Farmer Requirements Reference Manual, Chapter 1		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
AC6	Do you have a designated area for the segregation and treatment of sick and injured cattle?					✓
AC7	Tie-Stall Barns: Are electric trainers: a. Designed to not exceed 2500 volts? b. Equipped with a height adjustment? c. Located over the chine when the animal is standing with her hind feet near the gutter curb?					✓
FS7	Do you restrict cattle access to manure storage or manure run-off?					✓
FS8	At the time of milk pick-up, is the lane-way and loading area free of manure contamination?					✓
FS9	If you use sewage sludge, do you have the necessary approval/permits required to use sewage sludge on your farm?					✓

Feed and Water

Farmer Requirements Reference Manual, Chapter 2		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
FS10	Do you use medicated feed? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes: have you established and implemented a Standard Operating Procedure for feeding medicated feeds? (SOP 7)					✓
FS11	Do you receive medicated feeds with milk or meat withdrawals or that are prohibited for use in lactating cattle? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, are feed bins and storage containers clearly marked for those who deliver the feed and for those that use it?					✓
FS12	Do you have pet foods on your farm or feeds that are labeled not for use for ruminants (i.e. clearly labeled with the warning: Feeding this product to cattle, sheep, deer or other ruminants is illegal and is subject to fines or other punishment under the Health of Animals Act)? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, do you store and handle those feeds to avoid feeding those feeds to cattle or cross-contaminating feeds for cattle?				✓	
AC8	Have you established and implemented a Standard Operating Procedure for colostrum management and calf feeding? (SOP 8)					✓
AC9	Do heifers receive feed that is adequate for maintaining health, growth and vigour?					✓

Farmer Requirements Reference Manual, Chapter 2		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
AC10	Do all cattle have access to a clean water source?					✓

Traceability

Farmer Requirements Reference Manual, Chapter 3		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
LT1	Do you have a Premises Identification Number?				✓	
LT2	<p>Are your dairy cattle double-tagged with approved dairy tags (NLID/ATQ)? (Record 5)</p> <p>* Calves must be tagged within 7 days of birth or before the animal leaves the farm of origin, whichever occurs first?</p> <p>* Any calves born on farm and destined for the beef industry may be identified with a single RFID ear tag (approved beef tag)—except for provinces that require double-tagging.</p>				✓	
FS13	Do you identify all cattle to allow for the maintenance of treatment records (e.g. barn tags, neck chains, etc.), if you do not use approved dairy tags (NLID/ATQ) for management purposes?				✓	
LT3	<p>Do you maintain current birth records on farm (birth date, animal ID number and PID where the animal is born)? (Record 1)</p> <p>* In the 7 days following the animal's birth or before the animal leaves the farm of origin, whichever occurs first.</p>				✓	
LT4	Are you reporting animal birth information to the national traceability database within 45 days or before the animal leaves the farm of origin, whichever occurs first?				✓	
LT5	<p>For animal move-in (reception of an animal at the farm, including import):</p> <p>Do you maintain current animal move-in records on farm (animal ID number, date of movement, PID of arrival and departure farms, licence plate number) (Record 2)</p> <p>* Information must be recorded within 7 days of the event or before the animal leaves the farm, whichever occurs first.</p>				✓	

Farmer Requirements Reference Manual, Chapter 3		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
LT6	For animal move-in (reception of an animal at the farm, including import): Are you reporting the information to the national traceability database? * Information must be reported within 7 days of the event or before the animal leaves the farm, whichever occurs first.				✓	
LT7	For tag retirement (on-farm animal disposal or export): Do you maintain current tag retirement records on-farm? (Record 3 and Record 4) * Information must be recorded within 7 days of the event.				✓	
LT8	For tag retirement (on-farm animal disposal or export): Are you reporting the event information to the national traceability database? * Information must be reported within 7 days of the event.				✓	

Biosecurity and Cattle Health

Farmer Requirements Reference Manual, Chapter 4		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
Cattle Health Management						
FS14	Do you have a Cattle Health Declaration signed by your veterinarian annually and the most recent version kept on file? (Record 6)				✓	
AC11	Have you established and implemented a Standard Operating Procedure for animal health practices (e.g. disbudding/dehorning, castration, supernumerary teat removal) and branding that includes appropriate pain control where required? (SOP 9)				✓	
AC12	Do you provide prompt medical care for cattle that are sick, injured, too thin (BCS ≤2), severely lame, in pain or suffering?					✓
AC20	Have you established and implemented a Standard Operating Procedure for down cattle? (SOP 10)				✓	
AC13	Have you established and implemented a Standard Operating Procedure for euthanasia? (SOP 11)				✓	

		Yes	No	N/A	Validation Info	
Do you evaluate the milking herd for Body Condition Score; hock, knee and neck injuries; and lameness, and: a. Keep records of the results? (Record 7) b. Take corrective action if the herd scores are in the yellow or red zones?					✓	✓
Do your cattle have full tails? (Record 18)					✓	
In the past two years, have you completed the biosecurity risk assessment with your veterinarian to identify and address biosecurity risks on your farm? (Record 6b)					✓	
Do you record disease events for, at minimum, cows with these signs (<i>abortion, lameness, mastitis, diarrhea, pneumonia, death</i>) and calves with these signs (<i>diarrhea, pneumonia, death</i>)? (Record 10)						
Have you established and implemented an SOP, in consultation with your veterinarian, for vaccinating against specific diseases of concern? (SOP 12)					✓	
Cattle Additions and Movement						
Have you established and implemented an SOP, in consultation with your veterinarian, to prevent the introduction of infectious diseases when bringing new cattle into your facilities from other herds? (SOP 13)					✓	
Have you established and implemented an SOP, in consultation with your veterinarian, to prevent the introduction of infectious diseases by cattle returning to your facilities from other herds, cattle shows, etc.? (SOP 14)					✓	
Personnel, Visitors, Vehicles and Equipment						
Have you established and implemented an SOP, in consultation with your veterinarian, to prevent the introduction of infectious diseases by family, employees, farm visitors and service providers? (SOP 15)					✓	
BIO7	Do you have signage posted on the main access point, which is visible from the main parking area?				✓	

Medicines and Chemicals Used on Livestock

Farmer Requirements Reference Manual, Chapter 5	Yes	No	N/A	Validation Info	
Do you maintain a list of all medicines and chemicals that you use on livestock? (Record 9)				✓	
Do you store and handle livestock medicines and chemicals: <ul style="list-style-type: none"> a. (Including syringes and needles) in a clean and sanitary manner, in a dedicated place, according to label directions? b. In a manner that will not contaminate: milk? Meat? Feeds? c. For non-lactating and lactating dairy cattle, and products not intended for dairy cattle in separate areas or cupboards? 				✓	
Do you use only livestock medicines (including medicated foot- baths): <ul style="list-style-type: none"> • Approved in Canada for use in dairy cattle? • According to the label? • According to written veterinary directions, which must be available for every treatment administered not according to the label and for every veterinary drug used that is not approved for use in Canada? (Record 8) 				✓	
Do you check for and record the identity of any animal and treatment site whose treatment resulted in an irretrievable broken needle? (Record 11)				✓	
Do you mark all treated cattle in the milking herd that have milk withdrawals (e.g. leg bands)? Specify type: _____				✓	
Do you maintain a permanent written record of all medicines and chemicals used on livestock that have a milk or meat withdrawal? (Record 10)				✓	
FS21 Have you established and implemented a Standard Operating Procedure for treating cattle? (SOP 5)				✓	

Milking Management

		Yes	No	N/A	Validation Info	
Milking Management						
	Have you established and implemented a Standard Operating Procedure for pre-milking? (SOP 1)					✓
	Have you established and implemented a Standard Operating Procedure for milking? (SOP 2)					✓
	Do you ensure that all teats are thoroughly cleaned, sanitized and dried (e.g. manure and teat dips removed) before milking, using approved products?					✓
	Have you established and implemented a Standard Operating Procedure to minimize the risk of shipping abnormal milk? (SOP 3)					✓
Milking Treated Animals						
	Have you established and implemented a Standard Operating Procedure to minimize the risk of shipping milk from treated cattle? (SOP 3)				✓	
	Do you test milk from new animals for inhibitors before shipping their milk, not ship the milk unless the results are negative and record the results? (Record 10) Or do you have a letter of guarantee from the previous owner? (Record 11b)				✓	

Cooling and Storage of Milk

Farmer Requirements Reference Manual, Chapter 7		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
FS28	Is the bulk tank temperature recorded and checked after every milking for each bulk tank? (Record 12)				✓	

Facility and Equipment Sanitation

Farmer Requirements Reference Manual, Chapter 8		Yes	No	N/A	Validation Info	
					Major / Minor	
Equipment Sanitation						
	Do you use approved cleaning products according to the accessible milk house cleaning and sanitizing chart? (Record 14)				✓	
	Do you regularly inspect and record the cleanliness of milking equipment for each washing system, including checking and recording the temperature of the hot water from the tap or wash water, at least monthly? (Record 13)				✓	
FS31	Have you established and implemented a Standard Operating Procedure for post-milking system cleaning? (SOP 4)				✓	
FS32	Do you have each wash system evaluated annually by an industry professional and have the deficiencies been corrected? (Record 14b)				✓	
Milk House						
FS33	Is the milk house used exclusively for cooling and storing milk and for cleaning, sanitizing, and storing materials and equipment used in the production and handling of milk?				✓	
FS34	Are cleaning chemicals stored in a location and manner that will not contaminate milk?				✓	
FS35	Are the milk house and external surfaces of the milking and milk storage equipment kept clean?				✓	
FS36	Do you have a functioning safety switch or fail-safe system in place to avoid accidental entry of wash water into the tank?				✓	
FS37	Have you removed all mercury thermometers and vacuum columns from the milk house?				✓	
FS38	Do all lights near the bulk tank opening have a protective covering or do the bulbs have a protective safety coating?				✓	

Farmer Requirements Reference Manual, Chapter 8		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
Use of Water for Cleaning Milk Contact Surfaces						
FS39	Do you: <ul style="list-style-type: none">Annually test the water used for milking equipment sanitation for the microbiological parameters determined by the provincial authority?Ensure the water meets the microbiological parameters?Keep or record the water test results? (Record 15)				✓	

Handling and Shipping Animals

Farmer Requirements Reference Manual, Chapter 9		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
AC16	Do you handle cattle without the use of electric cattle prods whenever possible?					✓
FS40 (AC)	Have you established and implemented a Standard Operating Procedure for shipping cattle? (SOP 6)				✓	

Environment

Farmer Requirements Reference Manual, Chapter 10		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
EN1	Do you have a valid provincial (individual) environmental farm plan (EFP), Agri-environmental Support Plan (Plan d'Accompagnement Agroenvironnemental, PAA) or PAA-equivalent to identify and address environmental risks on your farm?*				✓	

* The Environment requirement is mandatory as of September 1, 2021.

Staff Training & Communication

Farmer Requirements Reference Manual, Chapter 11		Yes	No	N/A	Validation Info	
					Major / Minor	Demerits
FS41 (AC, LT, BIO, EN)	Do you: <ul style="list-style-type: none"> Regularly train staff to implement your proAction program? Train new staff to implement your proAction program? Ensure staff have access to Standard Operating Procedures, corrective action plans and records that you have developed and maintained? 					✓
AC17	Do you train all animal handlers, and are they familiar with cattle behaviour and quiet handling techniques?					✓
FS42	Do you have a written corrective action plan on how to communicate and address: (Record 16) <ul style="list-style-type: none"> Incorrect administration of medications or other chemicals to an animal (BMP)? Entry of milk from a treated animal into the bulk milk tank (CCP)? Improperly cooled or stored milk (CCP)? Dirty milk contact surfaces (BMP)? Improper water temperature (BMP)? Milking equipment water contaminated with bacteria (BMP)? Sale of a treated animal or an animal with a broken needle and the next buyer was not informed (CCP)? 				✓	
FS43	Do you keep a record of any problems that have occurred with and the corrective actions taken regarding: <ul style="list-style-type: none"> Any treatments administered to animals (Record 17)? Inhibitor residues in milk (Record 17)? Cooling and storage of milk (Record 12 or 17)? Equipment sanitation and hot water/wash water temperature (Record 13 or 17)? Water quality (Record 15 or 17)? Shipping animals (Record 17)? 				✓	

Mandatory Records

The following records must be kept in order to keep the requirements of proAction:

Standard Operating Procedures (SOPs):

SOP 1	SOP for pre-milking
SOP 2	SOP for milking
SOP 3	SOP for milking cattle with abnormal or treated milk
SOP 4	SOP for post-milking cleaning
SOP 5	SOP for treating cattle
SOP 6	SOP for shipping cattle
SOP 7	SOP for feeding medicated feed
SOP 8	SOP for colostrum management and calf feeding
SOP 9	SOP for animal health practices and branding
SOP 10	SOP for down cattle management
SOP 11	SOP for euthanasia
SOP 12	SOP for vaccinating cattle against specific diseases of concern
SOP 13	SOP for introduction of new cattle to the herd
SOP 14	SOP for returning cattle to the herd
SOP 15	SOP for visitors and service providers

Record 1:	Animal birth record tag activation
Record 2:	Animal move-in record (move-in import)
Record 3:	On-farm animal disposal record tag retirement
Record 4:	Animal export record tag retirement
Record 5:	Tag replacement and/or tag losses cross-reference log
Record 6:	Cattle health declaration
Record 6b:	Dairy farm biosecurity general risk assessment questionnaire
Record 7:	Cattle assessment summary sheet Cattle assessment record (for free-stall or tie-stall)
Record 8:	Veterinary directions for extra label drug use

Record 9: List of medicines & chemicals used on livestock

Record 10: Livestock treatment record

Record 11: Broken needles

Record 11b: Sample letter of guarantee/ shipping record

Record 12: Bulk tank temperature log, chart recorder graphs or computer encrypted data

Record 13: Milking equipment sanitation record

Record 14: Cleaning and sanitizing chart

Record 14b: Sample annual wash system evaluation

Record 15: Water record or test results

Record 16: Corrective action plans

Record 17: Deviation and corrective action record

Record 18: Tail docking log

The records in this Workbook have been field tested and proven to be the most popular with dairy farmers. **You may use them or you may provide your own.** If you choose to provide your own, they **must contain all the mandatory data.**

For Example: Livestock Treatment Records must contain:

- Animal ID#
- Treatment administered (product, dosage, mode of treatment)
- Withdrawal times (milk and meat)
- Date of treatment
- Completed withdrawals (milk and meat)
- Expiry date of product checked
- Person treating (signature)

The following records must be kept on-farm for a period of five (5) years (ten (10) years in Alberta) in order to meet the requirements of the Livestock Traceability module:

Record 1: Animal birth record | tag activation

Record 2: Animal move-in record (move-in | import)

Record 3: On-farm animal disposal record | tag retirement

Record 4: Animal export record | tag retirement

Record 5: Tag replacement and/or tag losses | cross-reference log



SOP #: _____ **Date written / up-dated** _____

Purpose:

Step 1 _____

Step 2 _____

Step 3 _____

Step 4 _____

Step 5 _____

Step 6 _____

Step 7 _____

Step 8 _____

Step 9 _____

Step 10 _____

Standard Operating Procedures (SOPs):

SOP 1: Standard Operating Procedure (SOP) for Pre-Milking

In order to assure cattle are milked with clean and properly functioning equipment, describe step-by-step the various actions that must be taken to set-up the equipment for milking. See Chapter 6 of the Reference Manual for a sample SOP and the required elements.

SOP 2: Milking

In order to assure every animal is milked the same way day after day, describe step-by-step the various actions that must be taken for milking. See Chapter 6 of the Reference Manual for a sample SOP.

SOP 3: Milking Cattle with Abnormal or Treated Milk

In order to prevent shipping abnormal milk and milk containing livestock medicine or chemical residues, describe step-by-step the various actions that must be taken to prevent this milk from entering the food supply. See Chapter 6 in the Reference Manual for a sample SOP and the required elements.



Note: If your procedures are different for abnormal and treated milk, you may need two separate SOPs.



Note: If you have a problem or improperly milk a treated animal, see Corrective Action Plans, Record 16.

SOP 4: Post-Milking Cleaning

In order to insure that milk is cooling properly and that the equipment is cleaned adequately, describe step-by-step the various actions that must be taken to set-up the equipment after milking. See Chapter 8 in the Reference Manual for a sample SOP and the required elements.



Note: If you have a problem or equipment is not cleaned, see Corrective Action Plans, Record 16.

SOP 5: Treating Cattle

In order to prevent livestock medicine or chemical residues in milk and meat, proper administration of livestock medicine is essential. Describe step-by-step the various actions that must be taken when an animal has to be treated. See Chapter 5 of the Reference Manual for a sample SOP and the required elements.



Note: If you have a problem or improperly treat an animal, see Corrective Action Plans, Record 16.

SOP 6: Shipping Cattle

Food Safety: In order to prevent shipping animals containing livestock medicine or chemical residues or broken needles, describe step-by-step the various actions that must be taken when shipping animals. See Chapter 9 in the Reference Manual for a sample SOP and the required elements.



Note: If you have a problem or ship a treated animal, see Corrective Action Plans, Record 16.

Animal Care: In order to ensure that animals are fit for transport, identified, well prepared for the journey and handled properly to ensure their welfare, describe step-by-step the actions that must be taken for shipping cattle. See Chapter 9 in the Reference Manual for a sample SOP and the required elements.

SOP 7: Feeding Medicated Feed

If you feed medicated feed (e.g. medicated calf feed) on your farm, describe step-by-step the various actions that must be taken to prevent residues from medicated feeds from entering the human food supply. See Chapter 2 in the Reference Manual for a sample SOP and the required elements.

SOP 8: Colostrum Management and Calf Feeding

In order to ensure calves are fed enough to maintain their health, growth and vigour, describe your calf-feeding program. See Chapter 2 in the Reference Manual for a sample SOP and the required elements.

SOP 9: Animal Health Practices and Branding

In order to ensure all farm personnel responsible for performing animal health practices, such as disbudding/dehorning, castration and supernumerary teat removal, and branding can perform the procedures while minimizing animal discomfort; describe the methods used on your farm. See Chapter 4 in the Reference Manual for a sample SOP and the required elements.

SOP 10: Down Cattle Management

In order to ensure that down cattle are properly cared for, and, if needed, moved as gently as possible minimizing stress and trauma, describe the down cattle procedure used on your farm. See Chapter 4 in the Reference Manual for a sample SOP and the required elements.

SOP 11: Euthanasia

In order to ensure that staff can act promptly and ensure that cattle are euthanized by qualified persons in a manner that is quick, and causes the least possible pain and distress, describe step-by-step the euthanasia method used on your farm. See Chapter 4 in the Reference Manual for a sample SOP and the required elements.

SOP 12: Vaccinating Cattle Against Specific Diseases of Concern

In order to assure cattle are vaccinated correctly, describe step-by-step the various actions that must be taken in vaccinating your herd. See Chapter 4 in the Reference Manual for a sample SOP and the required elements.

SOP 13: Introduction of New Cattle to the Herd

In order to assure every animal is introduced into your herd in a manner that limits the potential of pathogens to be introduced into your herd, describe step-by-step the various actions that must be taken for introducing cattle into your herd. See Chapter 4 in the Reference Manual for a sample SOP.

SOP 14: Returning Cattle To The Herd

In order to limit the potential for pathogens to be introduced into your herd, describe step-by-step the various actions that must be taken when returning cattle into your herd. See Chapter 4 in the Reference Manual for a sample SOP and the required elements.




Note: If your procedures are the same for introducing new cattle and returning cattle to the herd, you may combine SOPs 13 and 14.

SOP 15: Visitors and Service Personnel

In order to ensure that your staff understand the biosecurity measures that required of visitors and service personnel on your farm to prevent the spread of infectious disease, describe step-by-step the various actions that must be taken. See Chapter 4 in the Reference Manual for a sample SOP and the required elements.

Record 1: Animal Birth Record | Tag Activation (LT3)

Year:			
Date of Birth (Day/Month)	Animal Identification Number 15 digits	Premises Identification Number Where the Animal was Born	Date of Record (Day/Month)
15/04	 12246326	QC 321654 7	20/04

* 7 days of birth **or** before the animal leaves the farm of origin, whichever occurs first

Record 2: Animal Move-In Record (Move-In | Import) (LT5)

					Year:
Type of Event (Day/Month)	Date of Animals Movement (Day/Month)	Animal Identification Number 15 digits	Premises Identification Number of Farm of Arrival	Premises Identification Number of Farm of Departure	Vehicle or Trailer Licence Plate Number
<input checked="" type="checkbox"/> Move-in	15/04	124 000 012 246 326	QC 321654 7	ON 123456 1	414 FZG
<input type="checkbox"/> Import					
<input type="checkbox"/> Move-in					
<input type="checkbox"/> Import					
<input type="checkbox"/> Move-in					
<input type="checkbox"/> Import					
<input type="checkbox"/> Move-in					
<input type="checkbox"/> Import					
<input type="checkbox"/> Move-in					
<input type="checkbox"/> Import					

* 7 days of birth **or** before the animal leaves the farm of origin, whichever occurs first

Record 3: On-Farm Animal Disposal Record | Tag Retirement (LT7)


Year:			
Date of Birth (Day/Month)	Animal Identification Number 15 digits	Premise Identification Number Where the Animal was Found Dead	Date of Record (Day/Month)
15/04	124 000 012 246 326	QC 321654 7	20/04

* 7 days following the animal's death

Record 4: Animal Export Record | Tag Retirement (L17)

[illegible]

Record 5: Tag Replacement/Tag Lost | Cross Reference Log (LT2)

Year:			Date of Record (Day/Month)	
Date of Replacement (Day/Month)	Animal Identification Number 15 digits	New Animal Identification Number - 15 digits		
15/04	124 000 012 246 326	 12246326	20/04	

* 7 days following the retagging of the animal or before the animal leaves the farm, whichever occurs first

Record 6: Cattle Health Declaration (FS14)**Farmer Name (Name on License):** _____**License #:** _____**Veterinarian Name:** _____**Veterinarian Declaration:**

As of this date, I have visibly observed the general health status of the cattle in this herd and found them to be healthy, or receiving satisfactory care and treatment for routine health conditions. I have verified that this farmer has in place a system for identifying treated and sick cows and for preventing milk from these cows from entering the farmer's bulk tank(s).

Veterinarian's Signature: _____**Date:** _____**Notes:**

The Declaration is valid for one year and must be renewed annually.

MB, ON and QC have different forms for the Declaration. Farmers should contact their provincial associations for these forms.

Guidelines for the Declaration:

The intent of the Cattle Health Declaration is to satisfy the export requirement from foreign countries to demonstrate that milk used in exported products is sourced from healthy animals. An annual herd health inspection conducted by a veterinarian is the minimum requirement.

A veterinarian should look for evidence or visible signs in the herd for a disease that is transmissible to humans by milk or that adversely affects the quality or flavor of the milk. If the milk is considered acceptable by the provincial regulatory body, the veterinarian should be able to sign the Declaration.

All Canadian farmers are required to obtain the Declaration because milk is co-mingled in Canada and milk destined for export products is not segregated.

The Cattle Health Declaration does not include animal welfare. It is specific to animal health.

Record 6b: Dairy Farm Biosecurity General Risk Assessment Questionnaire (BIO1)

Farm Name: _____ Assessment Date: (YYYYMMDD) _____

Contact Name: _____ Farm Location: _____ Premises ID: _____

Mailing Address: _____

Telephone: (_____) _____ - _____ e-mail address: _____

Please list the three diseases you are most concerned about on your farm: _____

Percent of time that each practice is implemented on this farm →		Always or Yes >95%	Almost Always 70–95%	Some times 1–69%	Never or No 0%	Comments
--	--	--------------------	----------------------	------------------	----------------	----------

Section 1. Cattle health management

1.1	Do you maintain no direct contact of pre-weaned calves from older cattle?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.2	Do you maintain no direct contact of weaned calves from lactating cows?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.3	Do you maintain no direct contact of dry cows from lactating cows?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.4	Do you prevent calves from nursing their dams?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.5	Do you separate calves from their dam within 30 minutes of birth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.6	Are newborn calves offered at least 4 litres of colostrum (2 litres for Jerseys) within 12 hours of birth (calf's first feed given no more than 6 hours after birth)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Percent of time that each practice is implemented on this farm →					Always or Yes >95%	Almost Always 70-95%	Some times 1-69%	Never or No 0%	Comments
1.7	Do you feed non-saleable milk (abnormal or with drug residues) to your calves?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.8	Do you pasteurize non-saleable milk before it is fed to calves?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.9	Keeping in mind the disease prevention priorities of this farm, are calves housed in a way that minimizes disease?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.10	Do you follow a veterinarian-reviewed vaccination program for specific infectious diseases?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.10a	Against which diseases do you vaccinate?								
1.11	Do you have written standard operating procedures (SOPs) for dealing with clinical cases of infectious diseases?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.11a	For which diseases do you have written SOPs?								
1.12	Are sick or infected cattle managed after those that are healthy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.13	Do you maintain health records (to include the Disease Event Record) for individual animals?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.14	Do you review health records to monitor the occurrence of infectious diseases in your herd?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.15	Does your veterinarian perform necropsies on cattle that die of unknown causes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.16	Is manure spread on fields which will be grazed, or harvested for young cattle, during the same season?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
1.17	Do you follow a veterinarian-reviewed parasite control program?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				

Percent of time that each practice is implemented on this farm →					
Always or Yes >95%	Almost Always 70–95%	Some times 1–69%	Never or No 0%	Comments	

Section 2. Cattle additions and movement

2.1	Have you introduced new cattle into your herd since this risk assessment was last performed (or in the last 2 years if no prior risk assessment was performed)? If yes:	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.1a	Do you insist on receiving health records for these cattle before introducing them into your herd?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.1b	<ul style="list-style-type: none"> Do you insist on receiving health records for these cattle before introducing them into your herd? 	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.1c	<ul style="list-style-type: none"> Do you isolate these cattle before introducing them into your herd? 	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.1d	<ul style="list-style-type: none"> Do you test these cattle for specific diseases of concern? 	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.2	In the time since the last risk assessment (or in the last 2 years if no prior risk assessment was performed) have cattle been reintroduced after being in contact with other cattle (shows, fairs, boarding, etc)? If yes:	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.2a	<ul style="list-style-type: none"> Do you isolate these cattle before introducing them back into your herd? 	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.3	Do you isolate sick cattle from their herdmates?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Percent of time that each practice is implemented on this farm →	Always or Yes >95%	Almost Always 70-95%	Some times 1-69%	Never or No 0%	Comments
--	--------------------	----------------------	------------------	----------------	----------

Section 3. Premises and sanitation management

3.1	Are alleyways scraped or flushed frequently enough to prevent manure contamination of cow feet and legs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.2	Are cow stalls cleaned frequently enough to prevent manure contamination of udders?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.3	Do you disinfect pens than have housed sick cattle between each case?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.4	Do you have a designated area for housing sick cattle?	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
3.5a	Do you clean and sanitize the calving pen after each use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.5b	In the event that you do not clean and sanitize the calving pen, do you remove soiled and wet bedding and add new bedding between uses?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.6	Are cows' udders, flanks and lower legs free of manure contamination at calving?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.7	Do you clean on-farm animal health equipment (balling gun, dehorner, hoof knives, stomach tubes, etc) after each use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.8	Do you use separate tools and equipment for feeding and cleaning?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.9	When artificially inseminating or making a rectal examination, is a new rectal sleeve used for each cow?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.10	When vaccinating, taking blood samples or treating animals, is a new needle used for each animal?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Percent of time that each practice is implemented on this farm →		Always or Yes >95%	Almost Always 70–95%	Some times 1–69%	Never or No 0%	Comments
3.11	Are dead animals stored and removed in a manner that prevents cattle, dogs, cats, birds, and rodents from accessing them?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.12	Do you prevent animals from having fence-line contact with livestock from other farms?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.13	Is stored feed protected from contamination by cattle, dogs, cats, birds and rodents?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Section 4. Personnel, Visitors, Vehicles and Equipment

4.1	Do you require all workers, visitors, and farm service providers to wear clean or disposable coveralls and boots on your farm?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.2	Have you posted visible signage on the farm informing all visitors about where to report, who to contact, and areas of restricted access upon arrival?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.3	Do you have an SOP for international visitors addressing footwear and clothing?	<input type="radio"/>			<input type="radio"/>	
4.4	Do you maintain a visitor log?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Dairy Farm Biosecurity Incremental Management Plan

Farm Name: _____

Owner's Name: _____ Veterinarian: _____

Date of agreement on biosecurity management plan (YYYY MM DD):

--	--	--	--	--	--	--	--

Ideally, only ONE priority best management practice (BMP) to improve biosecurity on the farm will be agreed to for implementation within the next year by the herd owner. It is essential that the owner is willing and able to implement the change. If the owner wishes to further improve biosecurity, a maximum of three BMPs may be agreed upon. It is important to understand that the intent of this risk assessment and management plan (RAMP) is to reduce, and if possible eliminate, the introduction of infectious diseases from outside the farm and their spread within the herd.

Recommendation(s) for management changes on this farm:

1.	
2.	
3.	

Veterinarian confirmation that he/she has completed the Risk Assessment Questionnaire with the producer.

_____	_____
Owner's Signature	Veterinarian's Signature

Record 7: Cattle Assessment Summary Sheet (AC14)

Farm Name:		Barn Type: (lactating only)	<input type="checkbox"/> Free-stall <input type="checkbox"/> Tie-stall <input type="checkbox"/> Bedded-pack barn <input type="checkbox"/> Other
Assessor Name:			
Date of Assessment:			
Assessor Signature:			
Herd Size: (lactating cattle)		Milking System:	<input type="checkbox"/> Parlour <input type="checkbox"/> Tie-stall <input type="checkbox"/> Automatic milking system <input type="checkbox"/> Other
Sample Size:			
Identified as sick / in hospital pen (#)			

Summary:

Animal-based Measure	Total Number of Cattle with 'A' Score in Sample	Percentage of Cattle with 'A' in Sample Size (total # / # in sample size)	Excellent targets (% acceptable)
Body Condition Score			≥ 95%
Hock Injuries			≥ 90%
Knee Injuries			≥ 90%
Neck Injuries			≥ 90%
Lameness		M' Monitor	≥ 90%

Comments:



Cattle Assessment Record – Free-Stall

Farm: _____ Date: _____ Assessor: _____

#	Cattle ID	BCS	Injuries			Gait Score
			Hock	Knee	Neck	
1	Sample 563	A	A	R	A	R
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
Sub-total # "As"						

Note: Remember to transfer the results to the Cattle Assessment Summary Sheet.

Cattle Assessment Record – Tie-Stall

Farm: _____ Date: _____ Assessor: _____

#	Cattle ID	BCS	Injuries			Gait Score <i>As per free-stall</i>	Stall Lameness—either system can be used or a combination				
			Hock	Knee	Neck		Edge	Weight Shift	Rest	Uneven Movement	Stall Lameness Score
1	Sample 415	A	A	A	R		A	R	A	R	R
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
Sub-total # "As"											

Note: Remember to transfer the results to the Cattle Assessment Summary Sheet.

Record 8: Veterinary Directions For Extra-Label Drug Use (FS17)**Clinic:** _____**Veterinarian:** _____**Emergency Contact Information:** _____**Client / Farm:** _____**Patient ID or Indications for Use:** _____**Product(s) Name:** _____**DIN(s) / Registration Number(s):** _____

If DIN is not available, check the appropriate box:

☐ vaccine ☐ compounded product ☐ Veterinary Health Product (# _____) ☐ other**Instructions for Use** (including dosage, frequency, route, maximum volume per injection site, duration of treatment):_____

_____**Milk Withdrawal:** _____ **Meat Withdrawal:** _____**Special Instructions, Precautions, Warnings, Storage, etc. (if required)**

(e.g. human safety, special storage, inhibitor testing):

_____**Veterinarian's Signature:** _____**Date of Issue:** _____**Date Directions Valid Until:** _____**Note 1:** all items are mandatory, unless indicated otherwise. Vets may use their own format, as long as all required items are included.**Note 2:** see Chapter 5 of the Reference Manual for examples of extra-label drug use.

Record 9: List of Medicines & Chemicals Used on Livestock (FS15)

[illegible]

Record 10: Livestock Treatment Record (FS20)

Animal ID	Expiry Date Valid (✓)	Disease Event (such as abortion, lameness, mastitis, diarrhea, pneumonia, death) ^a	Treatment Administered (product, dosage, mode of treatment ^b)	Withdrawal Time (Hrs/days)		Date of Treatment (✓ am or pm)	Completed Withdrawal (✓am or pm)		Residue Testing (+/-) ^c	Person Treating (Signature)
				Milk	Meat		Milk	Meat		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		
						Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm	Date: <input type="checkbox"/> am <input type="checkbox"/> pm		

a: For cows, record: abortion, lameness, mastitis, diarrhea, pneumonia, death. **For calves, record:** Diarrhea, pneumonia, death.

b: Mode of Treatment IM = intramuscular (in the muscle), IMM = intramammary (in the udder), IU = intrauterine (in the uterus), IV = intravenous (in the vein), OR = oral (in the mouth), SQ = subcutaneous (under the skin), TP = topical (on the skin)

c: Residue testing only required for new animals or a letter of guarantee from the previous owner.

Record 11: Broken Needles (FS18)

Animal ID	Date of Broken Needle	Location	Signature	Information Passed on to Next Buyer (✓)	Signature

Note: This record must be maintained for as long as the cattle listed remain in the herd.

Record 11b: Sample Letter Of Guarantee / Shipping Record (FS27)

Seller’s Name (person or company): _____

Buyer / Recipient’s Name (person or company): _____

Date Shipped: _____

Animal Identification Number(s): _____

Do any of the animals listed above have pending milk or meat withdrawal times or broken needles?
☐ Yes ☐ No

If yes, fill in the following table:

Animal ID	Date of Treatment	Product	Dose (✓)		Completed Withdrawal Date		Broken Needle? If Yes, describe site
			According to label	Extra label	Milk	Meat	

I, the seller, have:

☐ Owned the animal(s) being sold for at least the last two months;
OR,
☐ A letter of guarantee from the previous owner(s);
OR,
☐ Tested the milk from the animal(s) for antimicrobials using _____ test or I sent the sample(s) to _____ (plant/ laboratory), and have proof of a negative antimicrobial test result(s).

Signature of Seller: _____

Signature of Buyer / Recipient: _____

Record 12: Bulk Tank Temperature Log (FS28)

	First Milking	Second & Subsequent Milkings
Recommended Cooling Range	Within 2 hours (½ hour preferred) 1°C – 4°C (34°F – 40°F)	<ul style="list-style-type: none"> blend temperature maximum 10°C (50°F) within 1 hour (1/2 preferred) 1°C – 4°C (34°F – 40°F)
Normal Range identified for your bulk tank <i>after</i> milking		

Month:							Corrective Action (if necessary)
Day	Bulk Tank Temperature						
	am	initial	mid-day	initial	pm	initial	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

Note: Electronic chart recorders or logs may be substituted for this manual method. Check with a Food Safety advisor.
This record accommodates milking 3 times a day; if you milk only 2 times a day, just use two columns.

AMS # OR NAME:

[illegible]

Potential areas to inspect: ******Bulk tank: paddle, dipstick, surface, outlet, valve and gaskets. *******Milking Equipment: receiver jar, pipeline inlets, inflations, milk hoses, claws, meters, weigh jars, gaskets, filter coil, buckets, pails, sanitary trap. *Note: If you use cold-water wash detergents for your system, you do not need to record the hot water temperature.

Record 14: Cleaning And Sanitizing Chart (FS29)

Farm Name: _____ Date: _____

Water Analysis: hardness _____ grains pH _____ iron _____ ppm (mg/l)

PIPELINE / AMS: # / Name: _____	BULK TANK
Cycle #1: _____	Purpose: _____
Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____	Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____
Cycle #2: _____	Purpose: _____
Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____	Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____
Cycle #3: _____	Purpose: _____
Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____	Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____
Cycle #4: _____	Purpose: _____
Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____	Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____
Cycle #5: _____	Purpose: _____
Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____	Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____
Cycle #6: _____	Purpose: _____
Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____	Product Name: _____ Volume: _____ ml oz Temperature: (Cold Warm Hot) _____ Water volume: _____ litres gallons Minimum start temperature: _____ ° _____ Minimum end temperature: _____ ° _____

Signed by: _____ Company: _____
(Equipment dealer / Industry professional)

Record 14B: Sample Annual Wash System Evaluation (FS32)

Note: Equipment dealers or industry professionals may use this form or their own wash system evaluation form. If they use their own form, they should include the items in this sample form. The Table in Section 8.1.1 of the Reference Manual provides guidance on acceptable parameters.

Purpose: the annual wash system evaluation is one step in a series of best management practices designed to help you minimize milk safety issues. The wash system evaluation is designed to help you identify problem areas so that you can prevent problems from occurring. The sample record is a guideline. Your industry professional may customize your wash system evaluation to best suit your equipment's needs. This record should be completed for **each** AMS or wash system (e.g. two robots washed by one wash sink).

Farm Name: _____ **AMS # or Name:** _____ **Date:** _____

Evaluation Parameters	Pipeline / AMS	Bulk Tank
1. Time: circulation / cycle time for: a. Cycle #1: _____ b. Cycle #2: _____ c. Cycle #3: _____ d. Cycle #4: _____ e. Cycle #5: _____ f. Cycle #6: _____ Comments / corrections: _____	_____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No	_____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ mins Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No
2. Temperature: Water temperature compares with the product manufacturer requirements or the Cleaning and Sanitizing Chart for: a. Cycle #1: _____ b. Cycle #2: _____ c. Cycle #3: _____ d. Cycle #4: _____ e. Cycle #5: _____ f. Cycle #6: _____ Comments / corrections: _____	Temperatures are in: <input type="checkbox"/> C or <input type="checkbox"/> F _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No	Temperatures are in: <input type="checkbox"/> C or <input type="checkbox"/> F _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No _____ ° Adequate? <input type="checkbox"/> Yes <input type="checkbox"/> No
3. Slugging Action: Comments / corrections: _____	Adequate slugging action for water flow (e.g. air injector or air compressor function)? <input type="checkbox"/> Yes <input type="checkbox"/> No	Adequate water spray? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Manual Wash
4. Chemical Concentrations:		
a. Water Analysis: hardness _____ grains pH _____ iron _____ ppm (mg/l)		
b. Chemical concentrations: correct amount and dispersal (i.e. are automatic dispensers working)? Comments / corrections: _____	Wash: <input type="checkbox"/> Yes <input type="checkbox"/> No Acid: <input type="checkbox"/> Yes <input type="checkbox"/> No Sanitize: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Manual Wash – Buckets	Wash: <input type="checkbox"/> Yes <input type="checkbox"/> No Acid: <input type="checkbox"/> Yes <input type="checkbox"/> No Sanitize: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Manual Wash – Buckets

Signed by: _____ Company: _____
(Equipment dealer / Industry professional)

Record 16: Corrective Action Plans (FS42) (Emergency Plans)

Area of Concern	Specific Incidence	Corrective Action To Be Taken	Contact Person		
			Name	Phone	Cell Phone
Medicines and Chemicals Used on Livestock	Improper administration of livestock medicines or chemicals				
Milking Treated Animals	Milk from treated animals enters the bulk tank				
Shipping Animals	Animal is shipped with a chemical residue (e.g. antimicrobials) or broken needle in it and the next buyer is not informed				

Record 16: Corrective Action Plans (FS42) (Emergency Plans)

Area of Concern	Specific Incidence	Corrective Action To Be Taken	Contact Person		
			Name	Phone	Cell Phone
Cooling and Storage of Milk	Milk is not cooled to between 1 °C to 4 °C within the acceptable cooling period				
Equipment Sanitation	1. Visible milk residue build-up on milk contact surfaces				
	2. Improper water temperature				
Use of Water for Cleaning of Milk Contact Surfaces	Water test result reveals a form of contamination (e.g. high bacteria)				

Record 16: Corrective Action Plans (FS42) (Emergency Plans)

Area of Concern	Specific Incidence	Corrective Action To Be Taken	Contact Person		
			Name	Phone	Cell Phone

Record 17: Deviation And Corrective Action Record (FS43)

Date	Description of Problem or Deviation (i.e. what went wrong)	Description of Corrective Action Taken (i.e. how was it fixed)	Signature

[illegible]

Note: This record must be maintained for as long as the cattle listed remain in the herd.





pro **Action**®